

under: the Resource Management Act 1991

in the matter of: Submissions and further submissions on Queenstown
Lakes Proposed District Plan 2023

and: Urban Intensification Variation

and: **Acorn Mountain Trustees Limited**
Clearwest Trustees Limited
Oak Wood Trustees Limited
St Marthas Trustees Limited
J F C Henderson
(The Collective)
(Submitter 779)

Summary statement of evidence of Charlotte Clouston

Dated: 7 August 2025

SUMMARY STATEMENT OF EVIDENCE OF CHARLOTTE CLOUSTON

- 1 My full name is Charlotte Lee Clouston.
- 2 I prepared a statement of evidence dated 4 July 2025 in support of the Submitters' requested relief.
- 3 I wish to make the following corrections to my statement of evidence. The references to 'QGL Land' in paragraphs [9] and [10] should read 'Collective's Land', and reference to Height Precinct 5 should read Height Precinct 2 in paragraph [9].
- 4 My position as set out in my statement of evidence has not changed.
- 5 My statement of evidence focused on amendments to Rule 12.5.8, regarding building facade height and setback of upper floors.
- 6 I support the recommended change to the title of the rule in Ms Frischneckt's section 42A provisions.
- 7 The maximum building height for the Collective's Land is set to remain at 12m, with no change proposed through the Variation.
- 8 The Variation proposes a reduction in the façade height standard from the 8.5m standard for parapets in PDP Standard 12.5.8.7.
- 9 I consider there is benefit in increasing the height for the upper setback requirement from 8m to 8.5m to reflect the permitted PDP parapet height provided for is 7.5m – 8.5m. I recommend the Height Precinct Plan be updated for Height Precinct 2 to show 8.5m frontage and 12m total height.
- 10 Mr Wallace's rebuttal evidence at paragraph [7.4] considers this requested change would not have rise to any specific adverse urban design effects and may have small upside in allowing for increased flexibility in design of new buildings.
- 11 I also recommended amendment to the advice note in Rule 12.5.8.2 for improved clarity and ease of interpretation for users of the PDP.
- 12 In response to my evidence, Ms Frischneckt has recommended in rebuttal evidence a change to the advice note. I am comfortable with this recommended change, noting the text should not be indented as it applies to the rule overall.

Dated: 7 August 2025

Charlotte Clouston